

- 1- Osama was doing an access cavity for a lower anterior , and found a small buccal orifice , what should he do ?
  - Extend the canal lingually.
- 2- Define type 7 vertucci and type 2 wein canal configurations ?
- 3- True or false : MB canals in upper 1st molar can be determined by several methods >> true
- 4- Percentages of an upper premolar >> 5% two buccal one palatal
- 5- True or false : vertucci has 9 canal configuration >> false
- 6- Ilesh momken yser 3ena perforation be I lower first molar 3shano distal wall lateral mesial root concave ..
- 7- true or false : gate gladdin bure remove dentine bulge >> true
- 8- true or false : lower third molar has unpredictable anatomy it may have one to four root >> true
- 9- true or false : upper first molar's mesiobuccal angle is an acute angle w distobuccal is obtuse and palatal angle is a right angle >> true
- 10- false for pulp innervation >> the dr deleted the question
- 11- In upper second molar the DB canal is : More mesial to MB canal than that of first upper molar
- 12- Second MB canal in lower 6: It's 1.8 mm away from the first MB canal
- 13- The shape of the canal if : only two orifices for upper 2nd molar >> shape oval
- 14- The shape of the canal if : two orifices for lower 2nd molar >> rectangular
- 15- Percentage for c shaped canal in Jordanians >> 10%
- 16- Percentage for c shaped canal in Chinese >> 33%
- 17- If you extend the orifice to the canal wall , this will result in >> mouse hole ...
- 18- Wrong statement : cell rich zone only observed in coronal pulp, doesn't exist in radicular
- 19- Percentage of having 3 canals in upper 4 : 5% ( two buccal canals and one palatal )
- 20- According to Smadi's study what is the percentage of finding two canals in an upper 6 : 77%
- 21- True statement : apical constriction is shorter 0.5-1.5 mm than apical foramen.
- 22- False about pulp : Odontoblasts are the principal cells
- 23- DB bil upper second molar goes palatal or mesial? More Mesially
- 24- True or false :Radiographs may help you to know the distance to drill before reaching the drop in >> true
- 25- About maxillary premolars : have 2 pulp horns buccal and palatal.
- 26- True or false : Distal boundary is the oblique ridge in lower 6 : false
- 27- True or false : Floor of the pulp chamber is lighter than the walls : false
- 28- About vertucci's configuration : One canal then separate into 2 then merge to one then exit as 2: config VII
- 29- Vertucci's IV config is : 2 canals leaving the pulp chamber and merges as 2 separate apical foramen

- 30- The percentage of finding a second mesiobuccal canal in upper 6 according to vertucci's study : 1%
- 31- C canal in molars requires dental microscope : true
- 32- Which is the correct answer : nasyeh I options bas kan enu the apical constriction is 0.5-1.5 mm away from the apical foramen
- 33- false statement >> rich zone found in coronal & not in radicular
- 34- Which tooth has the smallest apical foramen and which tooth has the largest one ?  
Smallest >>upper premolar..... Largest >>palatal root of upper first molar
- 35- Accessory canals : 75% found in the apical thirs of radicular pulp
- 36- One of the following is not a component of pulp : arteries ... Because it has arteriols and not true arteries
- 37- The false statement about access cavity in lower canines : u must always extend ur acess to the cingulum searching for lingual canal
- 38- The false statement about lower incisors : 100% single canal

One question was deleted , and there is one question left which we don't remember ..  
Good luck :)))

Our doctors of these courses :

Dr.Mohammad Hammad, Dr.Ahmad Ma'aita, Dr.Ibrahim Abu-Tahoun.

-----

Special Thanks for; *batoof al sa'aydeh.*



# Best Wishes

