

1. One of the following not from the structures of the limiting area :

1. labial frenum
2. Buccle frenum
3. Buccle vestibule
4. (1,2)
5. None of above

#5 true

2. All of the following used to check the vertical dimensions except ?

lip support

3. Properties cause internal stress II impression compound except?

- Thermoplast M
- Low thermal conductivity
- Wetting with water
- High coffecient expansion

answ:

- a. 3,2
- b. 1.2.3
- c. 1.2.3.4
- d. 1.3
- e. 2

4. The least muscle that cause dislodgement to the lower denture is :

- a. masseter
- b. buccinator
- c. mentalis

5. About Palatal seal area ,true answer:

- end of denture
- doesnt need it if palate are flat
- can be removed after denture are made completely
- prevent impaction of food on the denture of palatal mucous membrane.

answ:

no one knows, it was combination question

6. Kan fe so2al 3n I limiting structures, they are structures

- A) to be relieved
- B) comprisable in nature
- C) firmly attached to bone
- D) 1 and 2
- C) all of the above

7. One of the following is correct about the posterior palatal seal area

answ: **Its anatomy and depth are variable between patients**

8. What factors that can influence your selection of impression materials,

1- stage of treatment

2-oral conditions

3-alveolar ridge

4-type of tray

5-number of prosthesis that had been used.

answ: no one knows it was combination question

9. The occlusion from the posterior of the maxillary denture :

answ: **parallel to the camper's line**

10. Gothic arch tracing is used to find:

answ: **CR**

11. The primary supporting area for the mandible is the

answ: **buccal shelf**

12. Regarding the orbicularis oris muscle which sentences are true :

2. Affect the depth of the sulcus indirectly

4. Its tone depends on the labial support

5. move the buccal frenum forward

answ: kan I jawab 2, 4 , 5 which are the above choices

p.s : there were other choices

13. True about Bennet's angle:

a. the more medial the medial wall of the balancing side , the further the movement

b. Aw k2no the average is 1.75 ..

answ: most of the students say it's **a**

some student say none of the above

14. crest tal3a mn I medial pterygoid esh esmha

answ: hamulus

15. curve of spee eno :

answ: from the cusp of canine m3 I buccal cusps of molars I al condyle

16. Translational movement ----> superior cavity

Rotational movement -----> 20-25mm



17. we choose our impression material, depending on :

Type of Tray

Oral health of the patient

7assab el mar7ala elee e7na feha

number of prostheses that the patient had in his life
and other options

answ: most of the students say all of the above

18. One of the following is not correct about CR:

answ: enha btkoon coincidence with IC in 90% of the population

19. Left inferior lateral pterygoid contracted :

answ: Left condyle medially, anterior , inferior

20. ** The ease and accuracy of border molding depends on:

1. An accurately fitting custom tray.
2. Control of bulk and temperature of the molding compound.
3. A thoroughly dried tray.
4. All of the above. (correct answer)

21. ** Hamulus:

is an extended part from the medial pterygoid plate of the sphenoid bone.

22. ** Muscles forming the modiolus.

(The question was choosing the odd one or the one not involved in forming it)

23. ** Determine which of those statements are correct / wrong:

FWS is usually 6 mm.

The vertical dimension can be determined by phonetics in addition to measurement.

Most probably the first is wrong and the second one is correct

24. 2 muscles wa7de distofacial w etanye distolingual w aktar eshe bt2ather 3la l mandible

answ: Masseter o superior constrictor

25. Why do we make our denture with max. Surface area?

1. spread the load all over the area
2. aesthetic
3. increase the support
4. increase the stability
5. increase the num of the artificial teeth

answ: 1.3.4



26. Relieved tissue

1. Incisive papilla
2. Med raphy
3. cuspid eminence
4. fovea palatine

answ: 1.2.3.4

27. To get fine record

primary impression + undercut

answ: some student say alginate alone

other say compound washed with alginate

28. A picture of frontal movements of mandible :

answ : frontal

29. A picture of frontal movements of mandible , what no. 2 stands for :

answ: left open border

30. A picture of sagittal movements of mandible, what no. 2 stands for:

answ: opening border.

31. true/false 3an il position when taking an impression

Lazim nkoon behind and on the side when taking for the mandible

And when taking for the maxilla we should stand in front and on the side

answ: both wrong

32. We can't depend on for peripheral seal

Maybe maxillary tuberosity

33. The limiting structures should be---> compressed


Choices Were :

1. Relieved
2. Compressible
3. Eshe 3n El Bone Yalli Ta7t'ha
4. 1+2
5. 1+3



34. A question about the pointed part, the mandible is opening for how many mm?

20-25mm



35. Why do we have to pour the impression compound quickly? Because of the internal stresses

36. Factors that increase the setting time? of gypsum products.

37. What can we depend on when checking the horizontal dimension? Centric relation

38. Indication if the tray falls in border molding technique : overextension

39. Modules muscles are all except : mylohyoid.

Our doctors of these courses :

Dr. Nisreen Al-Saem, Dr.Sandra Al-Tarawneh.

Special Thanks for; Farah Al-Qaisi.



Best Wishes

